



Mercury 75 HP EFI Fourstroke

POA

Specifications

Boat Details

Price POA 75 HP EFI (Fourstroke) Model Year 2020 Hull Style **Power Type** Condition New Suburb INNISFAIL

Boat Brand Length Category Hull Type Stock Number State **Engine Make**

Mercury 0.00 Boat Engines and Outboards 0 Queensland

Mercury

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Description

Mercury 75 HP EFI Fourstroke - Unbridled power, unexpectedly compact, uncompromising reliability, unbelievable fuel efficiency. Unlike any other mid-range Fourstroke the world has ever seen. HP / kW

• 75 / 56

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

•2.1

Full throttle RPM • 4500-5500

Air induction • Performance-Tuned Scroll Intake Manifold

Fuel induction systemComputer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt • 35 amp / 441 watt with water-cooled voltage regulator

Recommended fuel • Unleaded 91 RON Minimum

Recommended oil • Mercury FourStroke Oil 10W-30

Engine protection operator warning system

SmartCraft Engine Guardian

Compatible with SmartCraft digital technology • Yes

- C+---+!---
- Starting
- Smart Start Electric

Controls • Mechanical throttle & shift

Steering

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



• Big Tiller Compatible

- Dual Cable Mechanical
- Hydraulic power steering

Shaft length

• 20" / 508 mm

Gearcase ratio

•2.07:1

Dry weight *Lightest model available • 359 lbs / 163 kg

Emissions Star Rating

• 3

Bore and stroke • 3.5 x 3.2" / 90 x 81 mm

Ignition • SmartCraft ECM 70 Digital Inductive

Fuel system • Electronic Fuel Injection (EFI)

Cooling system • Water-cooled with thermostat

Gear shift

• F-N-R

Gearcase options

Standard

Trim system

- Power Tilt
- Power Trim

Exhaust system

Through prop

Shallow water trim range (degrees) • 20

Color

• Phantom Black

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Lubrication system

Integrated Dry Sump

Oil Capacity • 5.5 qts / 5.2 l

Maximum Trim Range • 22° (-6° to 16°)

Maximum Tilt Range • 70° (-6° to 64°)

Features Horse Power (hp)	75	
Engine Details		
Engine Make	Mercury	
Horse Power	75	

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.